

## United States Patent and Trademark Office

INITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office
Address. COMMISSIONER FOR PATENTS
PO Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

U.S. APPLICATION NUMBER NO. FIRST NAMED APPLICANT ATTY, DOCKET NO.

10/576,988 Jose Francisco Rodrigue Aguirre 8026-74818-01

01/21/2004

24197 KLARQUIST SPARKMAN, LLP 121 SW SALMON STREET **SUITE 1600** PORTLAND, OR 97204

PCT/EP2005/000694 I.A. FILING DATE PRIORITY DATE 01/21/2005

INTERNATIONAL APPLICATION NO.

**CONFIRMATION NO. 8147** 371 FORMALITIES LETTER



Date Mailed: 01/14/2009

## NOTIFICATION OF DEFECTIVE RESPONSE

The following items have been submitted by the applicant or the IB to the United States Patent and Trademark Office as an Elected Office (37 CFR 1.495):

- Priority Document
- Copy of the International Application filed on 04/20/2006
- Copy of the International Search Report filed on 04/20/2006
- Preliminary Amendments filed on 04/20/2006
- Information Disclosure Statements filed on 04/20/2006
- Biochemical Sequence Diskette filed on 10/08/2008
- Oath or Declaration filed on 10/08/2008
- Biochemical Sequence Listing filed on 10/08/2008
- Request for Immediate Examination filed on 04/20/2006
- U.S. Basic National Fees filed on 04/20/2006

Applicant's response filed 10/08/2008 is hereby acknowledged. The following requirements set forth in the NOTIFICATION of MISSING REQUIREMENTS mailed 10/02/2008 have not been completed.

 A copy of the "Sequence Listing" in computer readable form has been submitted. However, the content of the computer readable form does not comply with the requirements of 37 CFR 1.822 and/or 1.823, as indicated on the attached copy of the marked -up "Raw Sequence Listing." Applicant must provide a substitute computer readable form (CRF) copy of the "Sequence Listing" and a statement that the content of the sequence listing information recorded in computer readable form is identical to the written (on paper or compact disc) sequence listing and, where applicable, includes no new matter, as required by 37 CFR 1.821(e), 1.821(f), 1.821(g), 1.825(b), or 1.825(d). Refer to attachment or PAIR document dated Sequence Listing could not be accepted due to errors.

Applicant is required to complete the response within a time limit of ONE MONTH from the date of this Notification or within the time remaining in the response set forth in the Notification of Missing Requirements, whichever is the longer. No extension of this time limit may be granted under 37 CFR 1.136, but the period for response set in the Notification of Missing Requirements may be extended under 37 CFR 1.136(a).

Applicant is cautioned that correction of the above items may cause the specification and drawings page count to exceed 100 pages. If the specification and drawings exceed 100 pages, applicant will need to submit the required application size fee.

For questions regarding compliance to 37 CFR 1.821-1.825 requirements, please contact:

page 1 of 2

- For Rules Interpretation, call (571) 272-0951
- For Patentin Software Program Help, call Patent EBC at 1-866-217-9197 or directly at 703-305-3028 / 703-308-6845 between the hours of 6 a.m. and 12 midnight, Monday through Friday, EST.
- Send e-mail correspondence for Patentin Software Program Help @ ebc@uspto.gov

Applicant is reminded that any communications to the United States Patent and Trademark Office must be mailed to the address given in the heading and include the U.S. application no. shown above (37 CFR 1.5)

Registered users of EFS-Web may alternatively submit their reply to this notice via EFS-Web. <a href="https://sportal.uspto.gov/authenticate/AuthenticateUserLocalEPF.html">https://sportal.uspto.gov/authenticate/AuthenticateUserLocalEPF.html</a>

For more information about EFS-Web please call the USPTO Electronic Business Center at **1-866-217-9197** or visit our website at <a href="http://www.uspto.gov/ebc.">http://www.uspto.gov/ebc.</a>

If you are not using EFS-Web to submit your reply, you must include a copy of this notice.

SHELBY J MILLER	
Telephone: (703) 308-9140 EXT 224	